

ASTHMA



Children's
Health Fund

Family Asthma Guide



The Goal
is Control!





Children's Health Fund

Co-founded in 1987 by singer/songwriter Paul Simon and pediatrician/child advocate Irwin Redlener, MD, the Children's Health Fund (CHF) is committed to providing health care to the nation's most medically underserved children through the development of innovative pediatric programs and the promotion of guaranteed access to high quality health care. To date, the programs in CHF's National Network have completed more than a million health care visits to at risk children and families in rural and urban areas.

Childhood Asthma Initiative

In December of 1997, the Children's Health Fund (CHF) launched the Childhood Asthma Initiative (CAI). The goal of CAI is to empower families to successfully manage childhood asthma. The program's original target populations were homeless families served by the New York Children's Health Project (NYCHP) and medically underserved housed community residents utilizing the South Bronx Health Center for Children and Families (SBHCCF). Both NYCHP and SBHCCF are flagship programs of CHF and comprise the Division of Community Pediatrics at the Children's Hospital at Montefiore in New York. Through the dissemination of this asthma guide, CAI now reaches thousands of families across the country.

To request the Family Asthma Guide, please contact:

Children's Health Fund
212-535-9400

www.childrenshealthfund.org

CONTENTS

Introduction	2
The Goal is Control	4
ASTHMA	5
What is Asthma?	5
Asthma Categories	8
Asthma Attacks	10
TRIGGERS	11
What is a Trigger?	12
Trigger Control	13
Allergies	14
MEDICINE	15
What Medicine Should I Take?	15
Medicine Tips	17
Medicine Photos	18
Using an Inhaler	20
Using a Nebulizer	21
Peak Flow and Spirometry	22
ASTHMA ACTION PLAN	23
Important Phone Numbers / Appointments	26
National Asthma Resources	27



Look for this symbol in this guide for tips on **what YOU can do** to help control your asthma and reach your goals.

But I have
asthma...
Can I do that?

Play the clarinet



Have the lead
role in a play



Yes
you can!

Do karate



Play basketball



Go to camp



Play outside with my friends




Play at the park




Did you know?

There are even Olympic athletes with asthma!



Be on the track team



What do you like to do?

People with asthma do all of these things. With good asthma control, you can too. Different people need different plans. Work with your doctor or nurse practitioner to make a plan that is right for you. Don't let asthma hold you back!

The Goal is Control!

This guide will help you and your family understand your asthma better. Learn **what YOU can do** to control your asthma.



Asthma control means:

- You can play and exercise without problems
- You can sleep well through the night
- No missed school because of asthma
- No hospital stays
- Few or no emergency room visits
- Few or no side effects from medicine



What are YOUR goals for asthma control?


1

2

3

What is Asthma?

- ✓
Asthma is a disease of the lungs. It makes the small airway tubes get narrow so it is hard for air to get in and out.
- ✓
When your airways are too narrow you get asthma symptoms and it is hard to breathe.




WHAT IS ASTHMA?

Asthma is a lung disease that makes it hard to breathe.

Asthma is a disease with symptoms that come and go. Some people get fewer symptoms as they get older. You may not have symptoms for a long time but they can come back at any time. Be ready to act quickly.

Some people with asthma only have symptoms when they get a cold or exercise. Other people have symptoms every day. Some people are worse at certain times of the year.

Asthma can't be cured, but you CAN work with your doctor or nurse practitioner to have fewer symptoms. Learn what to do to take control!



2

things happen when you have asthma:

1

Muscles tighten
around airways

2

Irritation, swelling and mucus block airways



Asthma can be controlled. You can learn to manage your asthma to keep your lungs healthier.

ASTHMA SYMPTOMS

What does asthma feel like?

Asthma is not the same for everyone. You may have some or all of these symptoms with your asthma.



Cough

With asthma you may cough a lot, even when you don't have a cold. The cough may last a long time. It may wake you up at night. You may cough when you play or exercise.

Wheezing

Wheezing is a whistling sound when you breathe. This is the air trying to go through narrow airways.

Out of breath

When you feel out of breath you may have trouble breathing or feel like you can't get enough air. You may need to breathe faster than normal.

Chest tightness

Chest tightness is when your chest feels tight or heavy. Your chest may hurt or feel like something is squeezing or pressing on it. You may feel like it is hard to get air in and out of your lungs.

Fatigue/tiredness

Fatigue or tiredness is when you get tired more easily than usual.



Know your symptoms so you can act quickly when they begin. Make a plan with your doctor or nurse practitioner. Acting early can keep symptoms from getting worse.

ASTHMA CATEGORIES

How bad is my asthma?


Your doctor or nurse practitioner will classify your asthma based on how often you have symptoms, or how sick you get. The categories are:



Ask your doctor or nurse practitioner what category of asthma you have.

People in any category can get very sick when they have an asthma attack

- Be ready
- Have your medicines
- Know what to do



A person who sleeps well can do better at school. If you wake up at night coughing a lot, your asthma is not in control.

On follow-up visits, your doctor or nurse practitioner will check your asthma control:

Well controlled



No symptoms at all

This is the goal for everyone.

Not well controlled



Some symptoms

Talk to your doctor. Your plan may need changes to get your asthma well controlled.

Very poorly controlled



A lot of symptoms

Talk to your doctor. Your plan may need changes to get your asthma well controlled.

Ask your doctor or nurse practitioner how well you are doing.



Talk to your doctor or nurse practitioner to make sure you are on the right medicines, especially when your symptoms change.

ATTENTION

Asthma Attacks

An asthma attack is when your asthma symptoms get out of control and make you sick. Signs of a serious asthma attack can include:


Cough,
wheezing, or
chest tightness

Breathing hard
and fast

Ribs may show
more than normal
when you are
breathing in

Lips or
fingernails may
turn blue

May not
be able to walk
or talk well



If this happens, get help immediately.

For more on asthma attacks, see page 24.

What is a Trigger?




TRIGGERS



WHAT IS A TRIGGER?

Triggers are things that can affect your asthma.

An asthma trigger is something that makes your asthma symptoms start up or get worse. Different people have different triggers.



COMMON TRIGGERS

INDOOR

- Dust / dust mites
- Cats, dogs, or other animals
- Rats or mice
- Cockroaches
- Mold

OUTDOOR

- Pollen
- Plants, flowers, grass, or trees
- Changes in weather or seasons

IRRITANTS

- Cigarette smoke
- Strong smells (like cleaning products or perfumes)
- Air pollution or smog

OTHER

- Stress or worry
- Colds or sickness
- Exercise or play
- Food allergies
- Cold air

What are
YOUR asthma
triggers?

1

2

3



TRIGGER CONTROL

What can I do about my triggers?

Think about what triggers your asthma. Try to avoid your triggers. You can plan ahead for when you know you will be around them.

IN THE HOUSE

DUST

- Dust often, but not when people with asthma are home.
- Avoid cloth curtains or carpet when you can. If you have them in your house, clean them often.
- Keep fewer stuffed animals. If you have them, wash them often. Do not sleep with stuffed animals.
- Wash sheets and bedding often.
- Use special covers for your mattress and pillow to control dust mites.

MOLD

- Mold likes to grow in warm, moist places.
- Make sure there is no standing water in the house (under the refrigerator, in plants, in the bathroom).
- Fix leaks so that there is no water damage on the walls, floor, or ceiling. Water damage allows mold to grow.

PESTS

- Use baits or traps instead of sprays to kill pests. Be sure to keep out of children's reach.
- Bug sprays can trigger asthma attacks.
- Don't leave food on the counters or in the sink. This can bring mice or roaches into your home.
- Fix holes around pipes and in the walls where pests may enter.

SMELLS AND ODORS

- Sprays and cleaning products with strong smells can bother people with asthma.
- Lemon, baking soda, and vinegar are safer for cleaning.
- Air fresheners, candles, and perfumes can also trigger asthma symptoms.
- People with asthma should not smoke or be around smoke.

OUTSIDE

If you have allergies to plants or pollen, know what months are worst for you. Plan ahead. Talk to your doctor or nurse practitioner about using an allergy medicine.

ATTENTION

Smoke
is bad for asthma!

People with asthma should NEVER be around cigarette smoke.




ALLERGIES

Is my asthma worse because of allergies?

An allergy is when your body reacts to something that is harmless to most people. An allergy can cause a rash, hives, itchy eyes, runny nose, sneezing, or coughing. People with asthma may have allergies that can make their asthma worse.

Some people are allergic to dust mites, pollen, mold, rats, mice, cats, dogs, cockroaches, or even foods. Allergies can make asthma harder to control.



People with allergies may need to take allergy medicines. Controlling your allergies may help you control your asthma.

How do I know if I have allergies?

There are different ways to test for allergies. One way is with a blood test. Another way is with a skin test. Your doctor or nurse practitioner may do these tests in his or her office or they may send you to a special doctor called an allergist.



Talk to your doctor or nurse practitioner to see if you need to be tested for allergies.

What Medicine Should I Take?

There are 2 kinds of medicine to treat asthma

RELIEVERS

Relievers work to relax tight muscles around the airways. Use your reliever medicine for quick relief of asthma symptoms.

CONTROLLER

Controllers work to reduce irritation, swelling, and mucus that block airways. If you are on a controller medicine, use it every day to prevent asthma symptoms. Ask your doctor or nurse practitioner if you need a controller medicine.


Healthy Lung

Open airways = Easy to breathe



Lung with Asthma

Narrow airways = Hard to breathe



Everyone who has asthma should have a reliever medicine. People who have asthma symptoms often should also be on a controller medicine.

ASTHMA MEDICINES

RELIEVERS

Everyone with asthma should have a reliever medicine

Relievers are also called rescue medicines. They can come as an inhaler or go in a nebulizer machine.

What do relievers do?

- They relax the muscles around the airways.
- These medicines work right away.

When should I use my reliever?

- Only when you need it.
- For quick relief.
- When you are having symptoms (cough, wheezing, chest tightness, out of breath, fatigue/tiredness).
- Before exercise or activity, if needed.
- About half an hour before you are going to be around one of your triggers.

My Reliever (s):

CONTROLLERS

Some people with asthma also need a controller medicine

Controllers can come as an inhaler or go in a nebulizer machine.

What do controllers do?

- They reduce irritation, swelling, and mucus in the airways.
- These medicines take time to work. Don't expect to feel different right away.

When should I use my controller?

- EVERY DAY (as directed by your doctor or nurse practitioner).
- They help your lungs stay healthier and stronger.
- If used every day, you will have fewer symptoms over time.
- If used every day, they will help when you are around one of your triggers.

My Controller (s):

Important!

- When you have symptoms or an asthma attack, use your reliever for quick relief.
- If you are on a controller, use it every day, even when you are not having symptoms.
- If you are on a controller, you should also have a reliever. You will still need your reliever when you have symptoms.

MEDICINE TIPS

Talk to your doctor or nurse practitioner if your medicine is making you feel bad or sick. You might be having side effects. You may need to change to a different medicine.



Rinse your mouth after using inhaled controller medicines.

If you are on a controller, use it every day. Make taking your controller part of your regular routine.

Always use a spacer with your inhalers. More medicine gets into your lungs, so less gets on the inside of your mouth.



Don't run out of medicine!

- Plan ahead.
- Make sure to get your refills before you run out of medicine.
- Check the date on your medicine. Do not use it if it is too old.
- Check that you have your medicine when you are going to be away from home.

RELIEVERS



Albuterol Sulfate solution



Proventil HFA (Albuterol)



Ventolin HFA (Albuterol)



ProAir HFA (Albuterol)



Maxair Autohaler



Xopenex solution

CONTROLLERS



Pulmicort Turbuhaler



Pulmicort Respules



Qvar 40 HFA



Qvar 80 HFA



Symbicort 80/4.5



Advair Diskus



Advair HFA 115/21 inhaler



Singulair 4 mg



Singulair 5 mg



Singulair 10 mg



Flovent HFA 44



Flovent HFA 110



Flovent HFA 220



Flovent Diskus 50



Azmacort Inhaler

ORAL STEROIDS



Prelone Syrup
(Prednisolone)



Orapred Syrup
(Prednisolone)



Prednisone Tablet

Oral steroids are strong medicines taken by mouth. They are usually used for very short periods of time. They can help when your asthma is out of control and you are very sick.

ALLERGY MEDICINES



Rhinocort Aqua



Nasonex



Flonase

For some people, controlling their allergies helps control their asthma. Ask your doctor or nurse practitioner if you need any allergy medicines.



Nasacort



Zyrtec solution
(Cetirizine HCl)



Zyrtec tablets
(Cetirizine HCl)



Claritin Syrup
(Loratidine)



Claritin Tablets
(Loratidine)

USING AN INHALER

How do I use an inhaler?

INHALER



- Sprays a mist of asthma medicine that you breathe in



SPACER



- Allows medicine to go deep into your lungs instead of just into your mouth



MASK



- Covers mouth and nose
- Used with spacer and inhaler for younger children



INHALER

1. Shake inhaler.
2. Connect it to the spacer (with or without mask).
3. Put end of spacer in your mouth or mask over your nose and mouth.
4. Press down on inhaler.
5. Breathe in deeply and hold it for 10 seconds. If you can't do this, take 4 to 6 deep breaths.
6. If your doctor or nurse practitioner said to take 2 puffs, then wait 1 minute and repeat steps 1 to 5.

DRY POWDER INHALERS

There are other kinds of inhalers that have powder inside, instead of mist. Ask your doctor or nurse practitioner if you are not sure what kind you have.

1. Do not shake.
2. Make sure you hold inhaler or disk right side up.
3. Twist or click dose counter.
4. Hold inhaler to mouth.
5. Breathe in hard, deep, and fast.
6. Hold breath for 10 seconds.
7. Be sure to breathe out from your nose. You don't want to lose any powder from your mouth.



Bring your inhaler with you when you see your doctor or nurse practitioner. Ask them to watch you use it. You can make sure you are doing it right.

USING A NEBULIZER

What is a nebulizer?

It is a machine that makes liquid medicine into a mist. You breathe the mist into your lungs.

How do I use a nebulizer?

1. Attach plastic tubing to the nebulizer machine.
2. Connect the other end of the tube to the medicine cup.
3. Put your medicine in the medicine cup.
4. Attach mask or mouthpiece to medicine cup.
5. Put mask over mouth and nose, or use mouthpiece.
6. Be sure not to breathe through your nose if you use the mouthpiece.
7. Turn on the machine.
8. Take slow, deep breaths.
9. Keep doing this, until all the medicine is gone from the cup and there is no more mist.
10. Clean the mask, mouthpiece, tubing, and medicine cup after use so that bacteria won't grow.



You should always use the mask instead of the mouthpiece for babies and small children. They need the mask to get enough medicine into their lungs.



A treatment usually takes 5-10 minutes

Sit with the medicine cup upright during your treatment. This way, the medicine doesn't spill out.

Parents' tip

Nebulizer treatments can be scary for young children. Try to calm them. Give them something else to think about, like a favorite book.

PEAK FLOW AND SPIROMETRY

What is a peak flow meter?

It is a small, hand-held plastic tool used to measure how air flows from your lungs. High numbers mean better airflow. Low numbers mean your asthma is getting worse.



- Your doctor or nurse practitioner will help you practice. Find out your personal best number. Do this on a day that you feel well. This is your goal for when you do it at home.
- At home, check your peak flow to see how you are doing. When you get sick, your numbers will get lower. This is a sign for you to take action.
- If you feel well, high peak flow numbers show you and your doctor that your medicines are working.

What is spirometry?

This is a breathing test to see how well your lungs are working. For this test, you breathe into a mouthpiece connected to a computer, called a spirometer. Some doctors or nurse practitioners may have this machine in their office. Others will send you to a special lung doctor called a pulmonologist.



HOW DO I DO IT?

1. Stand up straight.
2. Make sure the pointer is at the bottom of the numbered scale.
3. Take a deep breath.
4. Place the mouthpiece in your mouth and close your lips around it.
5. Blow out as hard and as fast as you can, in one quick blow.

Repeat steps 1-5 two more times. Write down the highest number. This is your peak flow number.



Talk to your doctor or nurse practitioner to see if you need a peak flow meter and when to use it.

What is an Asthma Action Plan?

This is a plan that you make with your doctor or nurse practitioner.

- It helps you to know what to do when you have asthma symptoms.
- It reminds you to take your controller medicines every day, even when you are feeling well.
- It helps you decide when to use your reliever medicines.
- It helps you to know when you need to see your doctor or nurse practitioner. It can help you decide when to go to the emergency room.

Your asthma plan has all your information on one page. You can carry it with you. Give a copy to your school or people who help to take care of you.

Keep your asthma action plan up to date with all of your medicines. Keep it where you can see it every day.



ACTION PLAN

ASTHMA ACTION PLAN

Everyone should have an asthma action plan!

Your doctor or nurse practitioner will help you fill out a form like this one.

Patient Information

Patient _____
Date of Birth _____
Parent/Guardian _____
Phone _____

Doctor or Practitioner Information

Doctor _____
Nurse Practitioner _____
Date filled out _____
Phone _____

GO! GREEN ZONE

Peak Flow: from _____ to _____

You have ALL of these:

- Breathing is easy
- No cough, wheeze or trouble sleeping
- Energy level is normal
- No cough with play or exercise
- Peak Flow number is in your Green Zone

Take these medicines every day!

Medicine	How Much	How Often
_____	_____	_____
_____	_____	_____
_____	_____	_____
Comments _____		

WARNING! YELLOW ZONE

Peak Flow: from _____ to _____

You have ANY of these:

- Having trouble catching your breath
- Coughing, day or night
- Mild wheeze
- Fatigue
- Chest feels tight
- Peak Flow number is in your Yellow Zone

Take green and yellow zone medicines!

Medicine	How Much	How Often
_____	_____	_____
_____	_____	_____
_____	_____	_____
Comments _____		

DANGER! RED ZONE

Peak Flow: from _____ to _____

GET HELP NOW!

- Green and yellow zone medicines are not helping
- Breathing is hard and fast. Can't catch a breath
- Ribs may show when breathing in
- Nose opens wide when breathing
- Chest feels tight or hurts
- May not be able to talk or walk well
- Lips or fingernails may turn blue
- Peak Flow number is in your Red Zone

Take red zone medicines & call a doctor now!

Medicine	How Much	How Often
_____	_____	_____
_____	_____	_____
_____	_____	_____
Comments _____		

**Get HELP from a doctor or nurse practitioner NOW!
Do NOT Wait! If you cannot reach the doctor, call 911
or go to an EMERGENCY ROOM right away.**

Write down the triggers that make your asthma worse:

BE READY!

Let your school, daycare or babysitters know about your medicine plan and triggers.

Carry inhalers and spacer, or leave them with the school nurse. You never know when you will need them!

School Medication Form - With this form, you will be able to keep your asthma medicine in the nurse's office or carry it yourself, if you are old enough.



Have an emergency plan



Share it with your family, school, daycare or babysitters. These are things you may need if you have to go to the emergency room:

- Important contact phone numbers
- Letter from your parent giving permission for you to get care
- A copy of your insurance cards



Trust yourself. If you feel like your asthma is acting up, take action! Talk to your doctor or nurse practitioner if you think your medicine or plan isn't working.

PHONE NUMBERS/APPOINTMENTS



MY DOCTOR or NURSE PRACTITIONER

Name _____

Address _____

Phone number _____

Name _____

Address _____

Phone number _____

Name _____

Address _____

Phone number _____



MY PHARMACY

Name _____

Address _____

Phone number _____



MY SCHOOL/SCHOOL HEALTH OFFICE

Name _____

Address _____

Phone number _____

LOCAL ASTHMA RESOURCES

MY APPOINTMENTS:

Remember: In an Emergency call 911

NATIONAL ASTHMA RESOURCES

**National Heart Lung, Blood Institute
(NHLBI)
National Asthma Education Program
Information Center**

P.O. Box 30105
Bethesda, MD 20824-0105
Phone: 301-592-8573
TTY: 240-629-3255
www.nhlbi.nih.gov

**American Academy of Allergy, Asthma,
and Immunization (AAAAI)**

555 East Wells Street, Suite 1100
Milwaukee, WI 53202-3823
Phone: 800-822-2762
www.AAAAI.org

American Lung Association (ALA)

61 Broadway, 6th Floor
NY, NY 10006
Phone: 800-586-4872
www.lungusa.org

Consortium on Children's Asthma Camps

490 Concordia Ave
St. Paul, MN 55103
Phone: 651-227-8014
www.asthmacamps.org

**Asthma & Allergy Foundation of America
(AAFA)**

1233 20th Street, NW., Suite 402
Washington, DC 20036
Phone: 800-727-8462
www.aafa.org

**The Allergy & Asthma Network/Mothers
of Asthmatics Inc. (AAN/MA)**

2751 Prosperity Ave., Suite 150
Fairfax, VA 22031
Phone: 800-878-4403 or 800-315-8056
www.aanma.org

**Centers for Disease Control and
Prevention (CDC)**

1600 Clifton Rd.
Atlanta, GA 30333
Phone: 800-232-4636
TTY: 888-232-6348
www.cdc.gov/asthma

American Academy of Pediatrics (AAP)

141 Northwest Point Boulevard
Elk Grove Village, IL 60007-1098
Phone: 847-434-4000 National Headquarters,
Illinois
Phone: 202-347-8600 Washington, DC Office
www.aap.org



The Children's Health Fund Family Asthma Guide
is made possible by a grant from



**Children's
Health Fund**

215 West 125th Street, Suite 301, New York, NY 10027

Tel: 212.535.9400 • Fax: 212.535.7488

www.childrenshealthfund.org

